

MAQPRO

 [maqpro.ao](https://www.instagram.com/maqpro.ao)

 geral@maqpro.ao

 Lar Do Patriota, Talatona, Luanda

 +244 922 855 408 | +90 533 400 9083

EQUIPAMENTOS INDUSTRIAIS

AQUI VOCÊ ENCONTRARÁ UMA AMPLA VARIEDADE DE EQUIPAMENTOS INDUSTRIAIS PARA PADARIAS, PASTALERIAS, COZINHAS INDUSTRIAIS, PIZZARIAS, CHURRASCARIAS, SUPERMERCADOS E TALHOS. EXPLORE NOSSOS PRODUTOS DE QUALIDADE E ENCONTRE TUDO O QUE PRECISA PARA O SEU NEGÓCIO. ESTAMOS AQUI PARA AJUDAR E TORNAR SUA EXPERIÊNCIA DE COMPRA MAIS FÁCIL E SATISFATÓRIA.

MAQPRO

Electric Fryer



ZQW-81



ZQW-82

Gas Fryer



ZQW-71A

Mill Grinder



Chopper A30



ZQW-2200

Gas Patio Heater



ZQ-101



ZQ-302

Hot Dog Maker



Guitar Cutter



MÁQUINAS DE GELADO



ZQR-25C



ZQR-25CTB



ZQR-9228T



Hard Ice Cream Machine
ZQR-116Y



ZQW-72A



ZQR-FP1R-6C



ZQR-9228



ZQR-25X



ZQW-73A



ZQR-8226

Fried Ice Cream Machine

ZQR-FP1S



ZQR-202



ZQR-202B

MAQPRO



MAQPRO

MÁQUINAS DE SORVETE



MAIN TECHNICAL Parameters:

Model		ZQR-390
Main Power		110v/220v 50Hz/60Hz
Rate Power(kW)		4.2kW
Refrigerant		R22/R404A
Production(L/h)		60-65L/h
Packing Size(mm)		895x755x1700



MAIN TECHNICAL Parameters:

Model		ZQR-112Y
Main Power		220v/50Hz
Rate Power(kW)		2.65kW
Refrigerant		R22/R404A
Production(L/h)		20L/h
Packing Size(mm)		500x550x700



MAIN TECHNICAL Parameters:

Model		ZQR-28s
Main Power		110v/220v 50Hz/60Hz
Rate Power(kW)		2.2kW
Refrigerant		R22/R404A
Production(L/h)		28-35L/h
Packing Size(mm)		630x910x1600



MAIN TECHNICAL Parameters:

Model		ZQR-38s
Main Power		110v/220v 50Hz/60Hz
Rate Power(kW)		2.8kW
Refrigerant		R22/R404A
Production(L/h)		44-55L/h
Packing Size(mm)		630x910x1700



MAIN TECHNICAL Parameters:

Model		ZQR-48s
Main Power		110v/220v 50Hz/60Hz
Rate Power(kW)		5.8kW
Refrigerant		R22/R404A
Production(L/h)		80-95L/h
Packing Size(mm)		610x1240x1700



MAIN TECHNICAL Parameters:

Model		ZQR-806
Main Power		220v/50Hz/60Hz
Rate Power(kW)		0.86kW
Refrigerant		R404A
Packing Size(mm)		1300x800x1400



MAIN TECHNICAL Parameters:

Model		ZQR-10P
Main Power		220v/50Hz
Rate Power(kW)		0.6kW
Refrigerant		R22/R404A
Packing Size(mm)		1100x600x1300



MAIN TECHNICAL Parameters:

Model		ZQR-12P	ZQR-14P
Main Power		220v/50Hz	220v/50Hz
Rate Power(kW)		1.2kW	1.4kW
Temp. Range(C)		-15--20	-15--20
Packing Size(mm)		1200x1080x1250	1500x1080x1250

MAQPRO

MÁQUINAS DE GELADO E PICOLÉ



MAIN TECHNICAL Parameters:

Model	ZQR-0.5T	ZQR-1T
Main Power	110v/220v 50Hz/60Hz	110v/220v 50Hz/60Hz
Rate Power(kW)	3.5kW	3.7kW
Refrigerant	R22/R404A	R22/R404A
Production(pcs/day)	960	960
Packing Size(mm)	1600x625x1000	1790x625x1000

Model	ZQR-2T	ZQR-3T	ZQR-4T
Main Power	110v/220v 50Hz/60Hz	110v/220v 50Hz/60Hz	110v/220v 50Hz/60Hz
Rate Power(kW)	8.1kW	11.1kW	11.1kW
Refrigerant	R22/R404A	R22/R404A	R22/R404A
Production(pcs/day)	2000	3000/4000	3000/4000
Packing Size(mm)	3600x1108x1250	3600x1900x1250	3600x1900x1250

MÁQUINAS DE GELADO E PICOLÉ



MAIN TECHNICAL Parameters:

Model	ZQR-10M	ZQR-12M
Main Power	110v/220v 50Hz/60Hz	110v/220v 50Hz/60Hz
Rate Power(kW)	3.7kW	5.7kW
Refrigerant	R22/R404A	R22/R404A
Production(pcs/day)	38000	38000-40000
Packing Size(mm)	2070x730x1480	3370x800x1480



MAIN TECHNICAL Parameters:

Model	ZQR-01M
Main Power	110v/220v 50Hz/60Hz
Rate Power(kW)	1.2kW
Refrigerant	R22/R404A
Production(pcs/day)	3000
Packing Size(mm)	715x685x1390



MAIN TECHNICAL Parameters:

Model	ZQR-02M
Main Power	110v/220v 50Hz/60Hz
Rate Power(kW)	1.9kW
Refrigerant	R22/R404A
Production(pcs/day)	8000-10000
Packing Size(mm)	965x800x1480

Model ZQR-04M

Main Power	110v/220v 50Hz/60Hz
Rate Power(kW)	3.0kW
Refrigerant	R22/R404A
Production(pcs/day)	16000-18000
Packing Size(mm)	1355x800x1480



MAIN TECHNICAL Parameters:

Model	ZQR-18M
Main Power	110v/220v 50Hz/60Hz
Rate Power(kW)	7kW
Refrigerant	R22/R404A
Production(pcs/day)	54000
Packing Size(mm)	3035x1700x925

MAIN TECHNICAL Parameters:

Model	ZQR-06M	ZQR-08M
Main Power	110v/220v 50Hz/60Hz	110v/220v 50Hz/60Hz
Rate Power(kW)	3.8kW	4.2kW
Refrigerant	R22/R404A	R22/R404A
Production(pcs/day)	26000-28000	30000-32000
Packing Size(mm)	1780x800x1480	2170x800x1480

MAQPRO

MÁQUINAS DE CUBO DE GELO



MAIN TECHNICAL Parameters:

Model	ZQR-25	ZQR-40	ZQR-60
Main Power	220v/50Hz	220v/50Hz	220v/50Hz
Rate Power(kW)	0.46kW	0.5kW	0.69kW
Refrigerant	R134A	R134A	R22
Production(pound/kg)	25	40	60
Dimensions(mm)	400x495x790	495x535x870	670x570x920

MÁQUINAS DE GELO

MAIN TECHNICAL Parameters:

Model	ZQR-55A
Main Power	220v/50Hz
Rate Power(kW)	0.3kW
Refrigerant	R134A
Production(pound/kg)	55/25
Dimensions(mm)	500x580x830

MAIN TECHNICAL Parameters:

Model	ZQR-80A
Main Power	220v/50Hz
Rate Power(kW)	0.39kW
Refrigerant	R134A
Production(pound/kg)	80/36
Dimensions(mm)	500x580x830

MAIN TECHNICAL Parameters:

Model	ZQR-100A
Main Power	220v/50Hz
Rate Power(kW)	0.46kW
Refrigerant	R22
Production(pound/kg)	100/45
Dimensions(mm)	500x580x850



MÁQUINAS DE GELO

MAIN TECHNICAL Parameters:

Model	ZQR-150A
Main Power	220v/50Hz
Rate Power(kW)	0.58kW
Refrigerant	R22/R404
Production(pound/kg)	150/68
Dimensions(mm)	660x680x920

MAIN TECHNICAL Parameters:

Model	ZQR-200A
Main Power	220v/50Hz
Rate Power(kW)	0.65kW
Refrigerant	R22/R404
Production(pound/kg)	200/90
Dimensions(mm)	660x680x920

MAIN TECHNICAL Parameters:

Model	ZQR-260A
Main Power	220v/50Hz
Rate Power(kW)	0.72kW
Refrigerant	R22/R404
Production(pound/kg)	260/120
Dimensions(mm)	660x680x950

MAQPRO

MÁQUINAS DE GELO



MAIN TECHNICAL Parameters:

Model	ZQR-1500A	ZQR-2000A
Main Power	380v/50Hz	380v/50Hz
Rate Power(kW)	2.8kW	3.68kW
Refrigerant	R22/R404A	R22/R404A
Production(pound/kg)	1600/681	2000/908
Dimensions(mm)	1220x635x678	1220x635x738



MAIN TECHNICAL Parameters:

Model	ZQR-300A	ZQR-500A
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.8kW	1.18kW
Refrigerant	R22/R404A	R22/R404A
Production(pound/kg)	300/140	500/227
Dimensions(mm)	560x610x560	760x630x680



MAIN TECHNICAL Parameters:

Model	ZQR-700A	ZQR-1000A
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	1.35kW	1.86kW
Refrigerant	R22/R404A	R22/R404A
Production(pound/kg)	700/318	1000/454
Dimensions(mm)	760x630x680	760x630x720

MÁQUINAS DE GELO ESCAMA

MAIN TECHNICAL Parameters:

Model	ZQR-04K	ZQR-05K	ZQR-06K
Rate Power(kW)	2.4kW	2.4kW	2.9kW
Refrigerant	R404A	R404A	R404A
Production(Ton/D)	0.4	0.5	0.6
Dimensions(mm)	1225x740x724	1225x740x724	1225x740x724

MAIN TECHNICAL Parameters:

Model	ZQR-10K	ZQR-12K	ZQR-15K
Rate Power(kW)	4.0kW	4.8kW	6.2kW
Refrigerant	R404A	R404A	R404A
Production(Ton/D)	1.0	1.2	1.5
Dimensions(mm)	1225x740x874	1411x980x920	1410x980x946



INSTANCE



MAIN TECHNICAL Parameters:

Model	ZQR-108
Main Power	220v/50Hz
Rate Power(kW)	0.38kW
Refrigerant	R134A
Production(kg/24h)	60
Dimensions(mm)	470x560x770

MAIN TECHNICAL Parameters:

Model	ZQR-200	ZQR-300
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.435kW	0.640kW
Refrigerant	R134	R22
Production(kg/24h)	90	140
Dimensions(mm)	470x560x810	600x750x970



MAIN TECHNICAL Parameters:

Model	ZQR-450	ZQR-700	ZQR-1200	ZQR-1800
Main Power	220v/50Hz	220v/50Hz	220v/50Hz	220v/50Hz
Rate Power(kW)	1.2kW	1.6kW	2.3kW	3.3kW
Refrigerant	R22	R22	R22	R22
Production(pound/kg)	220	310	540	800
Dimensions(mm)	600x820x1420	760x820x1700	760x820x1820	1220x820x1850

MAQPRO

MÁQUINAS DE SUMO

MÁQUINAS DE GRAO DE NEVE



ZQR-3X



MAIN TECHNICAL Parameters:

Model	ZQR-2X
Main Power	220v/50Hz
Rate Power(kW)	1.3kW
Volume(L)	24
Dimensions(mm)	365x475x700

MAIN TECHNICAL Parameters:

Model	ZQR-3X
Main Power	220v/50Hz
Rate Power(kW)	1.3kW
Volume(L)	36
Dimensions(mm)	545x475x700



MAIN TECHNICAL Parameters:

Model	ZQR-240	ZQR-360
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.7kW	0.9kW
Volume(L)	2x15	3x15
Dimensions(mm)	450x580x780	630x580x780



MAIN TECHNICAL Parameters:

Model	ZQR-12x2
Main Power	220v/50Hz
Rate Power(kW)	0.6kW
Volume(L)	2x12
Dimensions(mm)	420x660x800



ZQR-115



ZQR-230

MAIN TECHNICAL Parameters:

Model	ZQR-115	ZQR-230	ZQR-345
Main Power	220v/50Hz	220v/50Hz	220v/50Hz
Rate Power(kW)	0.15kW	0.25kW	0.37kW
Volume(L)	15	2x15	3x15
Dimensions(mm)	210x450x655	410x450x655	610x450x655



MAIN TECHNICAL Parameters:

Model	ZQR-240A
Main Power	220v/50Hz
Rate Power(kW)	0.89kW
Volume(L)	24
Dimensions(mm)	430x530x800

MAIN TECHNICAL Parameters:

Model	ZQR-360A
Main Power	220v/50Hz
Rate Power(kW)	1.1kW
Volume(L)	36
Dimensions(mm)	620x530x800



MAIN TECHNICAL Parameters:

Model	ZQR-2T
Main Power	220v/50Hz
Rate Power(kW)	0.49kW
Refrigerant	R134A
Volume(L)	2x18
Dimensions(mm)	620x380x660

MAIN TECHNICAL Parameters:

Model	ZQR-3T
Main Power	220v/50Hz
Rate Power(kW)	0.65kW
Refrigerant	R134A
Volume(L)	3x18
Dimensions(mm)	920x380x660



MAIN TECHNICAL Parameters:

Model	ZQR-10x4
Main Power	220v/50Hz/60Hz
Rate Power(kW)	0.35kW
Volume(L)	4x10
Dimensions(mm)	630x470x720

MAQPRO

FREEZER COMERCIAL



MAIN TECHNICAL Parameters:

Model	ZQR-1.0L ₂
Main Power	220v/50Hz
Rate Power(kW)	0.75kW
Refrigerant	R404A
Temp. Range(C)	-25 — 10
Dimensions(mm)	1210x760x1980



MAIN TECHNICAL Parameters:

Model	ZQR-1.0L ₄
Main Power	220v/50Hz
Rate Power(kW)	0.485kW
Refrigerant	R134A
Temp. Range(C)	-5 — 10/ -18 — -2
Dimensions(mm)	1220x760x1980



MAIN TECHNICAL Parameters:

Model	ZQR-1.6L ₄
Main Power	220v/50Hz
Rate Power(kW)	0.75kW
Refrigerant	R134A
Temp. Range(C)	-5 — 10/ -18 — -2
Dimensions(mm)	1830x760x1980



MAIN TECHNICAL Parameters:

Model	ZQR-G1.0L ₂
Volume(L)	880
Rate Power(kW)	0.236kW
Temp. Range(C)	0 — 10
Dimensions(mm)	1210x700x1890



MAIN TECHNICAL Parameters:

Model	ZQR-0.4Lx ₂
Volume(L)	840
Rate Power(kW)	0.351kW
Temp. Range(C)	-5 — +5/ -5 — -15
Dimensions(mm)	1210x700x1890

MAIN TECHNICAL Parameters:

Model	ZQR-0.4Lx ₃
Volume(L)	1305
Rate Power(kW)	0.435kW
Temp. Range(C)	-5 — +5/ -5 — -15
Dimensions(mm)	1820x700x1890

REFRIGERADOR



MAIN TECHNICAL Parameters:

Model	ZQR-2.1L ₂
Main Power	220v/50Hz
Rate Power(kW)	0.29kW
Refrigerant	R134A
Temp. Range(C)	0 — 10
Dimensions(mm)	2100x760x800



MAIN TECHNICAL Parameters:

Model	ZQR-1.5L ₂	ZQR-1.8L ₂
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.22kW	0.26kW
Refrigerant	R134A	R134A
Temp. Range(C)	-5 — 10/ -18 — -2	-5 — 10/ -18 — -2
Dimensions(mm)	1500x760x800	1800x760x800

MAQPRO

MÁQUINA DE SALADA



ZQR-0.3L2W



ZQR-0.2L1T2W

ZQR-0.3S2W

MAIN TECHNICAL Parameters:

Model	ZQR-0.3L2W	ZQR-0.4L2W	ZQR-0.2L1T2W	ZQR-0.3L1T2W	ZQR-0.3S2W	ZQR-0.2S2W
Main Power	220v/50Hz	220v/50Hz	220v/50Hz	220v/50Hz	220v/50Hz	220v/50Hz
Rate Power(kW)	0.3kW	0.32kW	0.3kW	0.36kW	0.32kW	0.35kW
Refrigerant	R134A	R134A	R134A	R134A	R134A	R134A
Temp. Range(C)	+1--+4	+1--+4	+1--+4	0-10	+1--+4	0-10
Dimensions(mm)	1200x760x1080	1500x760x1080	900x700x850	1365x700x850	900x700x1230	1365x700x1230



MAIN TECHNICAL Parameters:

Model	ZQR-1200	ZQR-1500
Volume(m ³)	0.035	0.05kW
Refrigerant	R134A	R134A
Temp. Range(C)	0--+10	0--+10
Dimensions(mm)	1200x395x426	1500x395x426



MAIN TECHNICAL Parameters:

Model	ZQR-15L2WA
Main Power	220v/50Hz
Rate Power(kW)	0.32kW
Refrigerant	R134A
Temp. Range(C)	+1--+4
Dimensions(mm)	1500x800x1015

MAIN TECHNICAL Parameters:

Model	ZQR-1.2S2	ZQR-1.5S2
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.18kW	0.18kW
Refrigerant	R134A	R134A
Temp. Range(C)	0-10	0-10
Dimensions(mm)	1500x450x600	1800x450x600

WALL-MOUNTED Cabinet



MOSTRUÁRIO



MAIN TECHNICAL Parameters:

Model	ZQR-420H
Main Power	220v/50Hz
Rate Power(kW)	0.18kW
Refrigerant	R134A/150g
Temp. Range(C)	2-10
Dimensions(mm)	620x700x2200



MAIN TECHNICAL Parameters:

Model	ZQR-910H
Main Power	220v/50Hz
Rate Power(kW)	0.28kW
Refrigerant	R134A/150g
Temp. Range(C)	2-10
Dimensions(mm)	1200x700x2200



MAIN TECHNICAL Parameters:

Model	ZQR-1380H
Main Power	220v/50Hz
Rate Power(kW)	0.36kW
Refrigerant	R134A/150g
Temp. Range(C)	2-10
Dimensions(mm)	1836x700x2200

MAQPRO

FREEZER



MAIN TECHNICAL Parameters:

Model	ZQR-580	ZQR-680	ZQR-880
Power Consumption	1.5	1.5	1.8
Weight	120	132	168
Refrigerant	R134A	R134A	R134A
Cooling Capacity	222x2	271x2	333x2
Temp. Range(°C)	≤-18/0-10	≤-18/0-10	≤-18/0-10
Dimensions(mm)	1855x950x1090	2055x950x1090	2655x950x1090



MAIN TECHNICAL Parameters:

Model	ZQR-508
Power Consumption	3
Weight	108
Refrigerant	R134A
Cooling Capacity	333
Temp. Range(°C)	≤-18/0-10
Dimensions(mm)	2005x795x970



MAIN TECHNICAL Parameters:

Model	ZQR-288X	ZQR-338X
Power Consumption	1.5	1.8
Weight	78	98
Refrigerant	R134A	R134A
Cooling Capacity	271	333
Temp. Range(°C)	≤-18	≤-18
Dimensions(mm)	1150x655x990	1350x655x990



MAIN TECHNICAL Parameters:

Model	ZQR-338
Power Consumption	1.6
Weight	95
Refrigerant	R600A
Cooling Capacity	250
Temp. Range(°C)	≤-18/0-10
Dimensions(mm)	1440x690x935

FREEZER HORIZONTAL

ORDER DISHES Showcase



MAIN TECHNICAL Parameters:

Model	ZQR-1.6D	ZQR-1.8D	ZQR-2.0D
Power(kW)	0.37	0.45	0.51
Refrigerant	R134A	R134A	R134A
Production(kg/24h)	0-10/-6-5	0-10/-6-5	0-10/-6-5
Dimensions(mm)	1660x850x2030	1860x850x2030	2060x850x2030



MAIN TECHNICAL Parameters:

Model	ZQR-408
Power Consumption	0.91
Weight	50
Refrigerant	134A
Cooling Capacity	222
Temp. Range(°C)	-18/0
Dimensions(mm)	1330x750x950



MAIN TECHNICAL Parameters:

Model	ZQR-710
Power Consumption	2.8
Weight	108
Refrigerant	134A
Cooling Capacity	333
Temp. Range(°C)	≤-18/0-10
Dimensions(mm)	1910x750x950

MAIN TECHNICAL Parameters:

Model	ZQR-900	ZQR-1300
Power Consumption	4.5	5.2
Weight	150	198
Refrigerant	R134A	R134A
Cooling Capacity	222x2	271x2
Temp. Range(°C)	≤-18/0-10	≤-18/0-10
Dimensions(mm)	2525x815x1000	2685x930x1000



MAQPRO

EQUIPAMENTOS PARA SUPERMERCADO



MOSTRUÁRIO DE CARNE

MAIN TECHNICAL Parameters:

Model	ZQR-10	ZQR-20
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.68kW	1.46kW
Refrigerant	R22/R404A	R22/R404A
Temp. Range(C)	2-8	2-8
Dimensions(mm)	1000x700x1950	2000x900x1980

MAIN TECHNICAL Parameters:

Model	ZQR-25	ZQR-30
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	2.06kW	2.2kW
Refrigerant	R22/R404A	R22/R404A
Temp. Range(C)	2-8	2-8
Dimensions(mm)	2500x900x1980	3000x900x1980

MAIN TECHNICAL Parameters:

Model	ZQR-120D	ZQR-180D
Rate Power(kW)	0.165kW	0.185kW
Temp. Range(C)	5-22	5-22
Dimensions(mm)	650x665x1670	650x750x1830

MAIN TECHNICAL Parameters:

Model	ZQR-258
Rate Power(kW)	0.52kW
Refrigerant	R22/R404A
Temp. Range(C)	0-10
Dimensions(mm)	1580x800x2120

ISLAND Cabinet

MAIN TECHNICAL Parameters:

Model	ZQR-2.0M
Power(kW)	1.03kW
Refrigerant	R22/R404A
Production(C)	-18--22
Dimensions(mm)	2000x1080x960

MAIN TECHNICAL Parameters:


Model	ZQR-1.5	ZQR-2.0
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.733kW	0.825kW
Refrigerant	R22/R404A	R22/R404A
Temp. Range(C)	6-2	6-2
Dimensions(mm)	1500x1180x920	2000x1180x920

MAIN TECHNICAL Parameters:

Model	ZQR-1.5A	ZQR-2.0A
Main Power	220v/50Hz	220v/50Hz
Rate Power(kW)	0.458kW	0.766kW
Refrigerant	R22/R404A	R22/R404A
Temp. Range(C)	2-10	2-10
Dimensions(mm)	1500x1180x1260	2000x1180x1260

MAQPRO

MÁQUINA DE CAFÉ E BEBIDAS



MAQPRO

Air Fryer



ZQW01

ELECTRIC POTATO TOWER Machine




ZQPO-01



POTATO TOWER Machine

ZQPO-03



ORANGE Juicer



2000C



2000E-3



2000E-2



2000E-5

Air Fryer



ZQW02

HANDLE PRESSURE Fries Machine



ZQPO-01



ZQPO-02

KING Juice



ZQW-303



ZQW-300



ZQW-388.1

FRUIT Juicer



ZQW-200

ZQW-300

SUGAR CANE Presser



ZQW-22283

ORANGE Juicer

ZQW-201



Blender



ZQW-767



ZQW-535



ZQF-300

MILK Shake



ZQW-1E2E

CITRUS Juicer



ZQW-1000E

MOSQUITO Killer



ZQM-30



ZQW-40

MAQPRO

MÁQUINA DE COMIDAS PEQUENAS



MINI Mixer



SAUSAGE Stuffer



ZQF-3L
ZQF-5L
ZQF-7L
ZQF-8L
ZQF-12L
ZQF-16L



ZQF-150
ZQF-200
ZQF-300



SPAIN CHURROS Machine



ZQSC-S1.5L/10L

DONUT Machine



ZQF101

MANUAL HUMBURGER Machine



POTATO PEELING Machine



MAIN TECHNICAL Parameters:

Model	ZQF-8A
Voltage(v/Hz)	220v/50Hz
Power(kW)	0.37kW
Capacity(Kg)	8
Net Weight(Kg)	52
Dimensions(mm)	430x410x760

CHOPPER Mixer



ZQ-TC-6L/16L

VEGETABLE Shredder



ZQ-TC-55*

VEGETABLE Shredder



ZQ-TC-65*

CHOPPER Mixer



ZQXP5

MAIN TECHNICAL Parameters:

Model	ZQF-15A
Voltage(v/Hz)	220v/50Hz
Power(kW)	0.75kW
Capacity(Kg)	15
Net Weight(Kg)	65
Dimensions(mm)	530x440x800

MAIN TECHNICAL Parameters:

Model	ZQF-30A
Voltage(v/Hz)	220v/50Hz
Power(kW)	1.5kW
Capacity(Kg)	30
Net Weight(Kg)	109
Dimensions(mm)	780x670x890

MAQPRO

MÁQUINA DE FATIAR CARNE



MÁQUINA DE CARNE MOIDA



MAIN TECHNICAL Parameters:

Model		ZQF-200A
Voltage(V)		220v/50Hz
Slice width(mm)		160
N.W(Kg)		14.4
Dimensions(mm)		575x465x415



MAIN TECHNICAL Parameters:

Model	ZQF-250A	ZQF-300A
Voltage(V)	220v/50Hz	220v/50Hz
Slice width(mm)	180	200
N.W(Kg)	17.7	24
Dimensions(mm)	575x465x415	615x525x500



MAIN TECHNICAL Parameters:

Model		ZQF-350
Voltage(V)		220v/50Hz
N.W(Kg)		223
Dimensions(mm)		960x740x1420



MAIN TECHNICAL Parameters:

Model		ZQF-300B
Voltage(V)		220v/50Hz
Slice width(mm)		240
N.W(Kg)		81.62
Dimensions(mm)		832x672x890

MAIN TECHNICAL Parameters:

Model		TC42A
Voltage(V)		380v 50Hz/60Hz
Power(kW)		4
Rated Input Power(kW)		4.7
Production capacity(Kg/h)		650
N.W(Kg)		170
Dimensions(mm)		1060x570x1010



MAIN TECHNICAL Parameters:

Model		TC12A
Model		TC22A



MAIN TECHNICAL Parameters:

Model		TC12C
Voltage(V)		110v/120v 50Hz/60Hz
Power(kW)		0.55
Rated Input Power(kW)		0.86
Production capacity(Kg/h)		120
N.W(Kg)		27
Dimensions(mm)		470x240x460



MAIN TECHNICAL Parameters:

Model		TC22C
Voltage(V)		110v/120v/380v 50Hz/60Hz
Power(kW)		0.75
Rated Input Power(kW)		0.96
Production capacity(Kg/h)		220
N.W(Kg)		43
Dimensions(mm)		630x280x415



MAIN TECHNICAL Parameters:

Model		TC32C
Voltage(V)		110v/120v/380v 50Hz/60Hz
Power(kW)		1.8
Rated Input Power(kW)		2.5
Production capacity(Kg/h)		300
N.W(Kg)		63
Dimensions(mm)		770x330x500

MAQPRO

MÁQUINA DE CORTE



MAIN TECHNICAL Parameters:

Model	JG400
Voltage(V)	380v 50Hz/60Hz
Power(kW)	2.2
Rated Input Power(kW)	2.9
Belt diameter(mm)	366
Cut thickness(mm)	30-400
IPNO(IPX1)	1
Saw line speed(m/s)	13.2
N.W(kg)	185
Dimensions(mm)	970x900x1810
Material	Iron



MAIN TECHNICAL Parameters:

Model	JG300B
Voltage(V)	380v 50Hz/60Hz
Power(kW)	2
Rated Input Power(kW)	2.7
Belt diameter(mm)	300
Cut thickness(mm)	30-250
IPNO(IPX1)	1
Saw line speed(m/s)	20
N.W(kg)	145
Dimensions(mm)	830x830x1750
Material	Stainless steel



JG180B



JG210B



JG210C

MAIN TECHNICAL Parameters:

Model	JG210B
Voltage(V)	220v 50Hz/60Hz
Power(kW)	0.75
Rated Input Power(kW)	1.1
Belt diameter(mm)	210
Cut thickness(mm)	4-180
IPNO(IPX1)	1
Saw line speed(m/s)	15
N.W(kg)	71
Dimensions(mm)	700x600x1020
Material	Stainless steel

MÁQUINA DE PREPARAR MASSA



B60

MAIN TECHNICAL Parameters:

Model	B60
Voltage(V)	380v 50Hz
Power(kW)	2.2/2.8
Rated Input Power(kW)	3.6
Bowl volume(L)	60
Max kneading capacity(Kg)	20
Mixing speed(r/min)	73/109/143/216
N.W(kg)	490
Dimensions(mm)	620x1025x1430



CS200

Model	CS200
Voltage(V)	380v 50Hz
Power(kW)	5/7.5
Rated Input Power(kW)	10
Bowl volume(L)	200
Max kneading capacity(Kg)	75
N.W(kg)	675
Dimensions(mm)	1400x970x1580

MAQPRO

MISTURADOR DE MASSA



CD10



CD20/30/50

MAIN TECHNICAL Parameters:

Model	CD10	CD20	CD30	CD50
Voltage(V)	220v 50Hz	220v 50Hz	220v 50Hz	220v 50Hz
Power(kW)	0.55	0.75	1.1	2.2
Rated Input Power(kW)	0.85	1.1	1.6	2.7
Bowl volume(L)	10	21	35	50
Max kneading capacity(Kg)	5	8	12	20
Mixing speed(r/min)	15	185	185	185
Bowl speed(r/min)	15	15	15	15
N.W(Kg)	68	76	91	135
Dimensions(mm)	720x380x760	690x400x730	800x445x790	950x530x970



MAIN TECHNICAL Parameters:

Model	CD80
Voltage(V)	380v 50Hz
Power(kW)	1.5/2.4
Rated Input Power(kW)	3.9
Bowl volume(L)	80
Max kneading capacity(Kg)	25
N.W(Kg)	429
Dimensions(mm)	1160x700x1350



MAIN TECHNICAL Parameters:

Model	CD100	CD130
Voltage(V)	380v 50Hz	380v 50Hz
Power(kW)	3/4.5	2.8/5.6
Rated Input Power(kW)	6.3	7.4
Bowl volume(L)	100	130
Max kneading capacity(Kg)	40	50
N.W(Kg)	470	507
Dimensions(mm)	1160x700x1400	1250x830x1580



MAIN TECHNICAL Parameters:

Model	B10
Voltage(V)	220v 50Hz
Power(kW)	0.37
Rated Input Power(kW)	0.62
Bowl volume(L)	10
Max kneading capacity(Kg)	1
Mixing speed(r/min)	189/362
N.W(Kg)	76
Dimensions(mm)	510x480x770



MAIN TECHNICAL Parameters:

Model	B20
Voltage(V)	220v 50Hz
Power(kW)	0.75
Rated Input Power(kW)	1.1
Bowl volume(L)	20
Max kneading capacity(Kg)	6
Mixing speed(r/min)	113/168/400
N.W(Kg)	98
Dimensions(mm)	550x480x770



MAIN TECHNICAL Parameters:

Model	B30
Voltage(V)	220v 50Hz
Power(kW)	1.5
Rated Input Power(kW)	1.8
Bowl volume(L)	38
Max kneading capacity(Kg)	10
Mixing speed(r/min)	68/102/296
N.W(Kg)	192
Dimensions(mm)	720x570x1016

Model B40

Voltage(V)	380v 50Hz
Power(kW)	1.5
Rated Input Power(kW)	1.84
Bowl volume(L)	40
Max kneading capacity(Kg)	13
Mixing speed(r/min)	96/168/306
N.W(Kg)	248
Dimensions(mm)	590x580x1230



MAIN TECHNICAL Parameters:

Model	B10L/15L
Voltage(V)	220v 50Hz
Rated Input Power(kW)	0.65
Mixing speed(r/min)	480/230/160
N.W(Kg)	48
Dimensions(mm)	460x380x590



MAIN TECHNICAL Parameters:

Model	B20L/30L
Voltage(V)	220v/380v 50Hz
Rated Input Power(kW)	1.1
Mixing speed(r/min)	360/166/100
N.W(Kg)	70
Dimensions(mm)	550x420x770



MAIN TECHNICAL Parameters:

Model	B40L/60L
Voltage(V)	220v/380v 50Hz
Rated Input Power(kW)	2.2
Mixing speed(r/min)	292/168/88
N.W(Kg)	145
Dimensions(mm)	630x560x950

MAQPRO

EQUIPAMENTO DIVISOR DE MASSA



ZQF-30K



ZQF-36K

ZQF-30J



ZQF-30S

ZQF-750

ZQF-100L/200L

MODELADOR DE TORRADAS



MAIN TECHNICAL Parameters:

Model	ZQF-101PC
Voltage(V)	220v/380v 50Hz
Rated Input Power(kW)	0.9
Capacity(y/min)	25
N.W(Kg)	350
Dimensions(mm)	1550x930x1410



MAIN TECHNICAL Parameters:

Model	ZQF-201PC
Voltage(V)	220v/380v 50Hz
Rated Input Power(kW)	0.8
N.W(Kg)	380
Dimensions(mm)	1200x1110x1470



MAIN TECHNICAL Parameters:

Model	ZQF-301PC
Voltage(V)	220v/380v 50Hz
Rated Input Power(kW)	1.5
N.W(Kg)	300
Dimensions(mm)	1800x780x1810



ZQF-380

ZQF-31P

MAQPRO

MÁQUINA LAMINADORA DE MASSA



LSP2804S204



TSP5204

MAIN TECHNICAL Parameters

Model	LSP380A	LSP520A	TSP520A
Voltage(V)	220v 50Hz	220v 50Hz	220v 50Hz
Power(kW)	0.75	0.75	0.75
Rated Input Power(kW)	1.1	1.1	1.1
N.W(Kg)	225	260	200
Dimensions(mm)	780x2000x1030	2460x880x1240	2460x880x650

FORNO DEFUMADO




AZ-30



AZ-50

MÁQUINA DE SALSICHA



ZX-01

MAQPRO

FORNOS EM SÉRIES




Tunnel Type Oven

Great capacity and wide range baking scope for bread, hamburger, cake, moon cake, and biscuit and so on. Custom-built to meet specific product parameters, output and available space requirement. Our infrared tunnel oven features in high energy saving and low pollution, it can reduce energy cost over one half compared with electrical tunnel oven.



AUTOMATICAL MOON-CAKE&CAKE BAKING PRODUCTION LINE



MAIN TECHNICAL Parameters:

Pan type	2 TRAYS CROSSED MODEL	4 TRAYS CROSSED MODEL
Source	Electric type	Electric type
Chamber W(mm)	1400	1800
Outer W(mm)	2050	2500
Power(Kw/m)	18	20

FORNO ROTATIVO DE AR QUENTE



MAIN TECHNICAL Parameters:

Model	ZQB-16C	ZQB-16D	ZQB-16Q	ZQB-32C	ZQB-32D	ZQB-32Q
Fuel(V)	DIESEL	ELECTRIC	GAS	DIESEL	ELECTRIC	GAS
Capacity(Trays)	16	16	16	32	32	32
Voltage(V)	380	380	380	380	380	380
Frequency(Hz)	50	50	50	50	50	50
Power(KW)	3.1Kw	35Kw	3.1Kw	3.5Kw	55Kw	3.5Kw
Dimensions(mm)	1430x2280x2450	1280x2280x2450	1430x2280x2450	1820x2600x2450	1660x2600x2450	1820x2600x2450

MAQPRO

CABINE DE FERMENTAÇÃO



ZQB-5D



ZQB-8D



ZQB-10Q

MAIN TECHNICAL Parameters:

Model	ZQB-5D	ZQB-5Q	ZQB-8D	ZQB-8Q	ZQB-10D	ZQB-10Q
Voltage(V)	380V3N~	220V-380V3N~	380V3N~	220V-380V3N~	380V3N~	220V-380V3N~
Frequency(Hz)	50/60	50/60	50/60	50/60	50/60	50/60
Power(KW)	7.5Kw	0.65Kw	14.5Kw	1.3Kw	14.5Kw	1.3Kw
Pans	5	5	8	8	10	10
Dimensions(mm)	900x1270x770	900x1320x940	900x1250x1270	900x1380x1640	900x1300x1470	900x1380x1640

CABINE DE FERMENTAÇÃO



MAIN TECHNICAL Parameters:

Model	ZQB-16SL	ZQB-32SL
Voltage(V)	220VAC	220VAC
Power(KW)	2.8	3.5
Temp.(°C)	15-45	18-45
Humidity(%)	80-85	80-85
Dimensions(mm)	630x900x2155	825x1120x2155

FROZEN REFRIGERATED PROOFER



MAIN TECHNICAL Parameters:

Model	ZQB-16SK	ZQB-32SK
Voltage(V)	220	220
Power(KW)	2.8Kw	3.5Kw
Temp.(°C)	30-40	30-40
Dimensions(mm)	650x900x2200	1220x900x2200



MAIN TECHNICAL Parameters:

Model	ZQB-15	ZQB-30
Voltage(V)	220	220
Power(KW)	2.0Kw	2.8Kw
Temp.(°C)	35-40	35-40
Humidity(%)	80-85	80-85
Dimensions(mm)	500x720x1833	1000x720x1833

MAQPRO

FORNO DE GÁS COM AUTOMÁTICO



MAIN TECHNICAL Parameters:

Model ZQB-1-2G	
Voltage(V)	220v
Compressor Power(KW)	0.1Kw
Heat Load(Mj/h)	27
Dimensions(mm)	1370x830x700
Gas Consumption(kg/h)	0.42



MAIN TECHNICAL Parameters:

Model ZQB-2-4G	
Voltage(V)	220v
Compressor Power(KW)	0.2Kw
Heat Load(Mj/h)	54
Dimensions(mm)	1370x833x1300
Gas Consumption(kg/h)	0.84



MAIN TECHNICAL Parameters:

Model ZQB-3-6G	
Voltage(V)	220v
Compressor Power(KW)	0.3Kw
Dimensions(mm)	1405x1050x1800

Model ZQB-3-9G	
Voltage(V)	220v
Compressor Power(KW)	0.3Kw
Dimensions(mm)	1845x1050x1800

FORNO DE ELÉTRICO AUTOMÁTICO



MAIN TECHNICAL Parameters:

Model ZQB-1-2D	
Voltage(V)	220v 380v
Dimensions(mm)	1220x840x605



MAIN TECHNICAL Parameters:

Model ZQB-3-6D	
Voltage(V)	380v
Dimensions(mm)	1220x840x1550

Model ZQB-3-9D	
Voltage(V)	380v
Dimensions(mm)	1650x840x1550



MAIN TECHNICAL Parameters:

Model ZQB-2-4D	
Voltage(V)	380v
Dimensions(mm)	1220x840x1250

MAQPRO

FORNO DE PIZZA ELETRICO



MAIN TECHNICAL Parameters:

Model	PZ-1S
Power (kW)	1.6
Voltage	~220-240V
Baking Size (mm)	400x400x115x1Pc
Pizza stone Size (mm)	400x400x1Pc
Dimension (mm)	610x570x4320
N.Weight (kg)	24



MAIN TECHNICAL Parameters:

Model	PZ-2S
Power (kW)	2.4
Voltage	~220-240V
Baking Size (mm)	400x400x115x2Pcs
Pizza stone Size (mm)	400x400x2Pcs
Dimension (mm)	610x570x480
N.Weight (kg)	33



MAIN TECHNICAL Parameters:

Model	PZ-1
Voltage(V)	220/380
Compressor Power(KW)	8.4Kw
Dimension(mm)	1300x870x610



MAIN TECHNICAL Parameters:

Model	PZ-2
Voltage(V)	380
Compressor Power(KW)	16.8Kw
Dimension(mm)	1300x870x1370

Model	PZ-3
Voltage(V)	380
Compressor Power(KW)	25.2Kw
Dimension(mm)	1300x870x1670

FORNO DE CONVECÇÃO



MAIN TECHNICAL Parameters:

Model	HEO-6
Power (kW)	3.2
Dimension (mm)	680x680x600
Voltage	220/50Hz
Tray Size (mm)	371x403x100

Model	HEO-8
Power (kW)	6.4
Dimension (mm)	840x680x600
Voltage	220/50Hz
Tray Size (mm)	600x403x200



MAIN TECHNICAL Parameters:

Model	QD-04D+FS-08 S
Name	2Layers4trays
Power (kW)	3.1
Voltage	220VAC 50Hz
Size (mm)	1340X1025X1895

Model	QD-04D+FS-08 S
Name	2Layers4trays
Power (kW)	15.9
Voltage	220/380VAC 50Hz
Size (mm)	1340X1025X1895



MAIN TECHNICAL Parameters:

Model	HEP-12
Voltage(V)	200v 50Hz
Power (kW)	6.7
Baking Size (mm)	1100x570x360



MAIN TECHNICAL Parameters:

Model	HGP-12
Voltage(V)	200v 50Hz
Power (kW)	0.1
Heat flux(kW/h)	12
Baking Size (mm)	1120X570X430

Model	HGP-32
Voltage(V)	200v 50Hz
Power (kW)	0.2
Heat flux(kW/h)	30
Baking Size (mm)	2200X1060X430

MAQPRO



MAIN TECHNICAL Parameters:

Model	CSS1.2LC	CSS1.5LC	CSS1.8LC
Voltage	220v 50Hz	220v 50Hz	220v 50Hz
Power(kW)	0.18	0.21	0.26
Cabinet temp. (°C)	5-10°C	5-10°C	5-10°C
Refrigerant	R134a	R134a	R134a
Packing size(mm)	1250x440x370	1550x440x370	1850x440x370

VITRINE DE SUSHI OU BOLO



MAIN TECHNICAL Parameters:

Model	CL428FLx4
Voltage	220v 50Hz
Power(kW)	0.53
Cabinet temp. (°C)	5-10°C
Refrigerant	R134a
Dimensions(mm)	740x740x2050



MAIN TECHNICAL Parameters:

Model	WLT-68
Voltage(V)	220
Power(KW)	0.32
Refrigerant	R22/R134a
Dimensions(mm)	900x500x710



MAIN TECHNICAL Parameters:

Model	WLK-12	WLK-15	WLK-18
Voltage(V)	220	220	220
Power(KW)	0.14	0.18	0.18
Dimensions(mm)	1250x740x1220	1500x740x1220	1800x740x1220



MAIN TECHNICAL Parameters:

Model	WH3-12	WH3-15	WH3-18
Voltage	220v	220v	220v
Power(kW)	0.6	0.74	0.86
Refrigerant	R134a	R134a	R134a
Dimensions(mm)	1200x780x1320	1500x780x1320	1800x780x1320



MAIN TECHNICAL Parameters:

Model	FH-120	FH-150	FH-180
Voltage	220v	220v	220v
Power(kW)	0.57	0.7	0.8
Refrigerant	R134a	R134a	R134a
Dimensions(mm)	1200x700x1250	1500x700x1250	1800x700x1250

MÁQUINA DE PIPOCA



ZQP-01

COTTON CANDY Machine



ZQP-02



ZQP-90-C



ZQP-90B



ZQP-90A



ZQP-90I



ZQP-90E



ZQP-90J

POPCORN Machine

MAQPRO

CAIXA TÉRMICA



GRELHA DE CHURRASCO

HEAT INSULATION Box

ZQF-90-1

ICE STORAGE

ZQF-112-6

ADJUSTABLE DISH Vehicle

ZQF-200-8

ADJUSTABLE DISH Vehicle

ZQF-300-20

HAND SEALING Machine

ZQF-30-II
ZQF-40-II

VACUUM PACING Machine

ZQF-400

VACUUM PACING Machine (accretion)

ZQF-8002B

WATER PURIFICATION Equipment

ZQF-10F/15F/20F

BARBECUE Stove

ZQW-11E2M
ZQW-11E2H
ZQW-DRI-1

HEAT DUTY GAS Convection Oven

ZQW-6SL

Plucker

ZQW-1100W

BARBECUE Stove

ZQW-104

CHARCOAL Grill

ZQJ-1H
ZQJ-6H

CHARCOAL Grill

ZQJ-F(1.0F/1.5F/2.0F)

CHARCOAL Grill

ZQJ-2H

MAQPRO

FOGÃO PARA COZINHA



FOGÃO A GÁS COM FORNO



GAS RANGE WITH 6-Burner White & Gas Oven:

Model	ZQW-889-8(900)	ZQW-889-8D(700)
Dimensions(mm)	1580x900x970	1400x750x910
Thermal Power(MJ)	239	239
Weight(Kg)	170	150



GAS RANGE WITH 4-Burner White & Gas Oven:

Model	ZQW-878D(700)	ZQW-878(900)
Dimensions(mm)	700x750x910	800x900x970
Thermal Power(MJ)	131.7	131.7
Weight(Kg)	80	90



GAS RANGE WITH 6-Burner White & Gas Oven:

Model	ZQW-889D(700)	ZQW-889(900)
Dimensions(mm)	1050x750x910	1200x900x970
Thermal Power(MJ)	179.9	179.9
Weight(Kg)	140	150



ELECTRIC RANGE WITH HOT PLATE & OVEN



ELECTRIC RANGE WITH 4-Hot Plate & Oven:

Model	ZQW-893(900)
Dimensions(mm)	800x900x970
Volt(V)	3N~380V
Power(kW)	20.8
Weight(Kg)	80

MAQPRO

FRITADEIRA DE TANQUE





GAS 1-Tank Fryer(2-Basket):	
Model	ZQW-2G
Dimensions(mm)	380x720x1050
Thermal Power(MJ)	65
Capacity(L)	28
Weight(Kg)	60



GAS FRYER (2-Tank & 2-Basket) With Cabinet:	
Model	ZQW-839(900)
Dimensions(mm)	800x900x970
Thermal Power(MJ)	125.9
Weight(Kg)	100

Model		ZQW-839D(700)	
Dimensions(mm)	700x750x910		
Thermal Power(MJ)	111.5		
Weight(Kg)	90		



ELECTRIC Tank Fryer (1-Basket):	
Model	ZQW-28L
Dimensions(mm)	400x800x1100
Volt(V)	3N~380V
Power(kW)	18
Capacity(L)	28
Weight(Kg)	60

ELECTRIC Tank Fryer (2-Basket):	
Model	ZQW-28L-2
Dimensions(mm)	800x800x1100
Volt(V)	3N~380V
Power(kW)	18+18
Capacity(L)	28x2
Weight(Kg)	100



ELECTRIC FRYER (1/2-Basket):		
Model	ZQW-101	ZQW-102
Dimensions(mm)	280x460x325	570x460x325
Volt(V)	220	220
Power(kW)	4	4+4
Temp. Range(°C)	60~200	60~200
Capacity(L)	10	10+10
Weight(Kg)	7.5	11



GAS FRYER (1/2-Basket):		
Model	ZQW-171	ZQW-172
Dimensions(mm)	340x615x630	680x615x630
Gas Pressure(pa)	2800~3000	2800~3000
Gas	Bottle LPG	Bottle LPG
Temp. Range(°C)	60~200	60~200
Capacity(L)	17	17+17
Weight(Kg)	22	38



COUNTER TOP ELECTRIC (1-Tank Fryer)(1-Basket):	
Model	ZQW-81
Dimensions(mm)	290x460x310
Volt(V)	220~240V
Power(kW)	2.5
Weight(Kg)	4.6

COUNTER TOP ELECTRIC (2-Tank Fryer)(2-Basket):	
Model	ZQW-82
Dimensions(mm)	580x460x310
Volt(V)	220~240V
Power(kW)	2.5+2.5
Weight(Kg)	4.6



GAS 1-Tank Fryer(2-Basket):	
Model	ZQW-71
Dimensions(mm)	290x520x445
Thermal Power(MJ)	18.9
Capacity(L)	8L
Weight(Kg)	12

Model		ZQW-72	
Dimensions(mm)	580x520x445		
Thermal Power(MJ)	37.8		
Capacity(L)	8+8L		
Weight(Kg)	22		



ELECTRIC 1-Tank Fryer(1-Basket):	
Model	ZQW-965
Dimensions(mm)	400x900x970
Volt(V)	3N~380V
Power(kW)	12
Thermal Power(MJ)	/
Capacity(L)	20
Weight(Kg)	35



ELECTRIC/GAS 2-Tank Fryer (2-Basket):		
Model	ZQW-84	ZQW-75
Dimensions(mm)	590x510x960	570x510x970
Volt(V)	220~240V	/
Power(kW)	4+4	/
Thermal Power(MJ)	/	37.8
Capacity(L)	14x2	14
Weight(Kg)	26	23



ELECTRIC 3-Tank Fryer (3-Basket):	
Model	ZQW-26-3
Dimensions(mm)	800x840x940
Volt(V)	3N~380V
Power(kW)	4.5+4.5+4.5
Capacity(L)	16x3
Weight(Kg)	74



ELECTRIC PRESSURE Fryer(Digital Panel):			
Model	ZQW-25	ZQW-25D	ZQW-25G
Dimensions(mm)	470x920x1180	470x920x1180	500x1030x1180
Volt(V)	3N~380V	3N~380V	220
Power(kW)	12	13.5	0.1
Gas Consumption	/	/	About 0.48kg/h
Capacity(L)	25	25	25
Weight(Kg)	95	135	160

MAQPRO

SÉRIE DE GRELHA



COUNTER TOP GAS GRIDDLE / Friteira

Model	ZQW-600G	ZQW-718	ZQW-720
Dimensions(mm)	600x520x450	610x560x400	790x590x400
Thermal Power(MJ)	220	29	43.5
Weight(Kg)	34	29	43
Burner	2	2	3

GAS CRIDDLE WITH CABINET / Friteira

Model	ZQW-869 (900)	ZQW-869D (700)
Dimensions (mm)	800x900x970	700x750x910
Thermal Power(MJ)	100.8	86.4
Weight(Kg)	70	65

GAS RANGE WITH 4-Burner & Griddle & Oven

Model	ZQW-889A (900)	ZQW-889XD (700)
Dimensions (mm)	1200x900x970	1050x900x910
Thermal Power(MJ)	79500BTU/hr	179.9
Weight(Kg)	150	140

COUNTER TOP ELECTRIC GRIDDLE / Friteira

Model	ZQW-818	ZQW-820
Dimensions (mm)	550x450x230	730x500x230
Volt(V)	220	220
Power(kW)	3	4.4
Weight(Kg)	23	34

Model	ZQW-822
Dimensions(mm)	730x500x230
Volt(V)	220
Power(kW)	4.2
Weight(Kg)	31.6

Model	ZQW-600E
Dimensions(mm)	600x520x410
Volt(V)	220
Power(kW)	5
Weight(Kg)	33

GAS ELECTRIC Caps Maker

Model	ZQW-1E	ZQW-2G
Dimensions (mm)	450x540x300	860x800x240
Volt(V)	/	220
Thermal Power(MJ)	36.5	/
Power(kW)	/	5
Weight(Kg)	25	42

COUNTER TOP GAS RANGE 2-Burner

Model	ZQW-RB-1	ZQW-RB-2
Dimensions (mm)	460x550x500	460x1100x500
Thermal Power(MJ)	58.6	117.2
Burner	1	2
Weight(Kg)	47	85

TABLE TOP Pan Toaster

Model	ZQW-BM-1
Dimensions(mm)	345x275x260
Power(kW)	2
Temp. Range(C.)	30 - 110

GRELHA DE CONTATO



CONTACT Griddle

Model	ZQW811	ZQW811E	ZQW813-2
Dimensions(mm)	305x365x210	430x365x210	565x365x210
Volt(V)	220/50	220/50	220/50
Power(kW)	1.8	2.2	3.6
Weight(Kg)	14	19.6	24.5

CONE Baker

Model	ZQW-ZU-1	ZQW-ZU-2
Dimensions (mm)	250x330x280	500x330x280
Volt(V)	220	220
Power(kW)	1.3	2.6
Weight(Kg)	8	15

WAFFLE Baker

Model	ZQW-UB-1	ZQW-UB-2
Dimensions (mm)	250x330x280	500x330x280
Volt(V)	220	220
Power(kW)	1.3	2.6
Weight(Kg)	8	15

ELECTRIC Pan Toaster

Model	ZQW-212
Dimensions(mm)	406x660x290
Volt(V)	220
Power(kW)	2.4
Weight(Kg)	28

MAQPRO

AQUECEDOR DE COMIDA



FOOD Warmer:

Model	ZQW-3	ZQW-310	ZQW-2
Dimensions(mm)	860x370x420	330x560x500	780x530x700
Volt(V)	220V	220V	220V
Power(kW)	1	1	1
Weight(Kg)	13	8	12.5



COURVED GLASS Warming Showcase:

Model	ZQW-60-1	ZQW-60-2	ZQW-60-3	ZQW-2P
Dimensions(mm)	900x480x610	660x437x655	1200x480x810	660x500x620
Volt(V)	220V	220V	220V	220V
Power(kW)	1.84	1.84	2.2	1.2
Weight(Kg)	50	37	72	25



ELECTRIC Toaster:

Model	ZQW-150	ZQW-300	ZQW-4ATS	ZQW-6ATS
Dimensions(mm)	418x288x387	418x368x387	370x210x225	460x210x225
Volt(V)	220V	220V	220V	220V
Power(kW)	1.34	1.94	1.9	2.5
Weight(Kg)	14	16	6	7
Production(Pcs/h)	150-180	300-350	/	/



COUNTER TOP Chupa Worker:

Model	ZQW-8
Dimensions(mm)	800x710x650
Volt(V)	220V
Power(kW)	0.72
Weight(Kg)	30



HOT DOG Warmer:

Model	ZQW-7C
Dimensions(mm)	470x350x570
Volt(V)	220V
Power(kW)	0.7
Weight(Kg)	10.3



ELECTRIC Display Showcase:

Model	ZQW-1P
Dimensions(mm)	350x425x550
Volt(V)	220V
Power(kW)	0.85
Weight(Kg)	16



ELECTRIC Display Showcase:

Model	ZQW-580
Dimensions(mm)	640x360x530
Volt(V)	220V
Power(kW)	1
Weight(Kg)	21



ELECTRIC Display Showcase:

Model	ZQW-2x2	ZQW-2x3
Dimensions(mm)	700x640x730	1000x640x730
Volt(V)	220V	220V
Power(kW)	0.7	1.4
Weight(Kg)	33	45



ELECTRIC Food Warmer Cabinet:

Model	ZQW-11-21	ZQW-11-5F
Dimensions(mm)	790x975x1795	790x975x1350
Volt(V)	220-240	220-240
Power(kW)	3	3
Weight(Kg)	182	136

CENTER Island:

Model	ZQW-02-0T
Dimensions (mm)	1500x760x800
Weight(Kg)	69



CHIPS Worker:

Model	ZQW-9	ZQW-10
Dimensions(mm)	600x770x1570	1050x770x1570
Volt(V)	220V	220V
Power(kW)	1	1
Weight(Kg)	45	85



ELECTRIC Salamander:

Model	ZQW-936	ZQW-937
Dimensions(mm)	570x340x206	800x450x170
Volt(V)	220V	220V
Power(kW)	2	4
Weight(Kg)	17	28



COUNTER TOP ELECTRIC Quartz Salamander:

Model	ZQW-ES-1	ZQW-ES-2
Dimensions(mm)	500x290x250	500x290x380
Volt(V)	220-240	220-240
Power(kW)	2	3
Weight(Kg)	16	23



MAQPRO

ASSADOR DE CHURRASQUINHO



MAIN TECHNICAL Parameters:

Model	ZQW-22	ZQW-800	ZQW-850	ZQW-950	ZQW-960
Dimensions(mm)	290x240x450	580x530x880	580x650x950	580x650x950	580x650x1150
Volt(V)	220	220	220	220	220
Power(kW)	2	9	6	15	16
N.Weight(Kg)	5.5	23	26	23	27

FOGÃO DE QUEIMADORES



MAIN TECHNICAL Parameters:

Model	ZQW-33
Dimensions(mm)	800x800x500
m ³	0.32
N.Weight(Kg)	45



Model	ZQW-34
Dimensions(mm)	1200x800x500
m ³	0.48
N.Weight(Kg)	65

Model	ZQW-35
Dimensions(mm)	1500x800x500
m ³	0.6
N.Weight(Kg)	85

ASSADOR DE FRANGO



MAIN TECHNICAL Parameters:

Model	ZQW-268E	ZQW-268G
Dimensions(mm)	1030x600x800	1010x780x800
Volt(V)	220	220
Power	6kW	9kW/HP
N.Weight(Kg)	71	81

MAIN TECHNICAL Parameters:

Model	ZQW-201 (1-Layer)	ZQW-202 (2-Layer)
Dimensions(mm)	1000x900x1060	1000x900x1900
Volt(V)	3N-380V	3N-380V
Power(kW)	10	10+10kW
N.Weight(Kg)	179	358

Electric / Gas chicken rotisseries:

Model	ZQW-206	ZQW-207
Dimensions(mm)	670x650x1580	670x650x1580
Volt(V)	220	220
Power(kW)	7	2
N.Weight(Kg)	106	106

Electric / Gas two full lamp chicken rotisseries:

Model	ZQW-206-2	ZQW-207-2
Dimensions(mm)	1340x650x1580	1340x650x1600
Volt(V)	220	220
Power(kW)	14	14
N.Weight(Kg)	180	180

FORNOS DE CHURRASQUEIRA



MAIN TECHNICAL Parameters:

Model	ZQW-3P-E	ZQW-3P-G
Dimensions(mm)	1180x490x710	1180x490x710
Volt(V)	380V 50Hz	220-240V 50Hz
Power(kW)	6	0.2
N.Weight(Kg)	50	60



MAIN TECHNICAL Parameters:

Model	ZQW-6P-E	ZQW-6P-G
Dimensions(mm)	1185x490x1350	1185x490x1350
Volt(V)	380V 50Hz	220-240V 50Hz
Power(kW)	12.3	0.3
N.Weight(Kg)	75	85

MAQPRO

SÉRIE BANHO MARIA



MAIN TECHNICAL Parameters:

Model	ZQS-B07
Dimensions(mm)	1500X1400X850+700
Voltage(V)	220
Power(kW)	4
Pan	8x(1/1x150)



MAIN TECHNICAL Parameters:

Model	ZQS-B01
Dimensions(mm)	1455x670x800+600 1790x670x800+600 2125x670x800+600



MAIN TECHNICAL Parameters:

Model	ZQS-BM3
Dimensions(mm)	950x365x330
Voltage(V)	220V 50Hz
Power(kW)	1



MAIN TECHNICAL Parameters:

Model	ZQS-BM4
Dimensions(mm)	1215x365x330
Voltage(V)	220V 50Hz
Power(kW)	1.5



Model	ZQS-BM5
Dimensions(mm)	1485x365x330
Voltage(V)	220V 50Hz
Power(kW)	1.8



Model	ZQS-BM5C
Dimensions(mm)	1485x365x330
Voltage(V)	220V 50Hz
Power(kW)	1.8



Model	ZQS-B04, B05, B06
Dimensions(mm)	1455x670x800+600 1790x670x800+600 2125x670x800+600



Model	ZQS-4H/5H/6H
Dimensions(mm)	1450x670x800 1780x670x800 2125x670x800

MAQPRO

MÁQUINA DE LAVAR PRATOS



SÉRIE DE AÇO INOXIDÁVEL



MAIN TECHNICAL Parameters:

Model	ZQS-1T
Dimensions(mm)	600x600x800 900x600x800



MAIN TECHNICAL Parameters:

Model	ZQS-1T+1F
Dimensions(mm)	1100x600x800
Model	ZQS-2/2T
Dimensions(mm)	1200x650x800



MAIN TECHNICAL Parameters:

Model	ZQS-2T+1F
Dimensions(mm)	1600x650x800



DISH-WASHING



MAIN TECHNICAL Parameters:

Model	ZQS-3T
Dimensions(mm)	1600x650x800



MAIN TECHNICAL Parameters:

Model	ZQS-1.2
Dimensions(mm)	1200x600x800
Model	ZQS-1.5
Dimensions(mm)	1500x800x800
Model	ZQS-1.8
Dimensions(mm)	1800x800x800
Model	ZQS-2
Dimensions(mm)	2000x800x800



MAIN TECHNICAL Parameters:

Model	ZQS-120/150
Dimensions(mm)	1200x500x1550
Model	ZQS-121/151
Dimensions(mm)	1500x500x1550



MAIN TECHNICAL Parameters:

Model	ZQS-150A3
Dimensions(mm)	1500x800x800 +700
Model	ZQS-180A3
Dimensions(mm)	1800x800x800 +700

MAQPRO

CARRINHOS



COLLECTION Cart



SERVICE Cart A



SERVICE Cart B



SERVICE Cart C



FRUIT Table



CABINET



MAIN TECHNICAL Parameters:

Model	ZQZ-1500/1500A	ZQZ-1800/1800A
Dimensions(mm)	1200x500x1800	1500x500x1800

MAIN TECHNICAL Parameters:

Model	ZQZ-1200/1200B	ZQZ-1500B
Dimensions(mm)	1500x800x800	1800x800x800

WALL Cabinet



MAIN TECHNICAL Parameters:

Model	ZQZ-1200C
Dimensions(mm)	1200x350x600
Model	ZQZ-1500C
Dimensions(mm)	1500x350x600


WALL SHELVES / Pipe Rack



MAIN TECHNICAL Parameters:

Model	ZQZ-1200D
Dimensions(mm)	900x300x300
Model	ZQZ-1200D
Dimensions(mm)	1200x300x300
Model	ZQZ-1200D
Dimensions(mm)	1500x300x300

TEA Cabinet




HYDRO VENT EXHAUST Hood



MAQPRO

**CÂMARA FRIGORÍFICA
COM ECONOMIA DE
ENERGIA**



**CARRINHO DE VENDA DE
COMIDA**



MAQPRO

CUBA DE COMIDA EM AÇO INOXIDÁVEL



ZQ-C1



ZQ-C3



ZQ-C4



ZQ-C2



ZQ-C5



ZQ-C6



ZQ-C7



ZQ-C8



ZQ-C9



ZQ-C10



ZQ-C11



ZQ-C12



ZQ-13



ZQ-14



ZQ-15



ZQ-16

MAQPRO

ÁGUA FERVIDA EM AÇO INOXÍDAVEL



ZQ-1SL/2SL/3SL/4SL



ZQ-C17

ZQ-C18



ZQ-C19

ZQ-C20

PANELA DE AÇO INOXÍDAVEL



MAIN TECHNICAL Parameters:

MEAN (mm)	THICKNESS(mm)	ALUMINUM(mm)	CAPACITY(L)	O3STYLE	O4STYLE	O5STYLE
Dia.250xH250	1.0	4	12	B0060	B0089	B0118
Dia.300xH300	1.0	4	21	B0062	B0091	B0120
Dia.340xH340	1.0	4	31	B0064	B0093	B0122
Dia.400xH400	1.0	4	50	B0067	B0096	B0125
Dia.450xH450	1.2	5	71	B0068	B0097	B0126
Dia.500xH500	1.2	5	98	B0069	B0098	B0127
Dia.550xH550	1.2	5	130	B0071	B0100	B0129
Dia.600xH600	1.2	5	170	B0074	B0103	B0132
Dia.250xH180	1.0	4	9	B0077	B0106	B0135
Dia.300xH200	1.0	4	14	B0078	B0107	B0136
Dia.340xH220	1.0	4	22	B0080	B0109	B0138
Dia.400xH260	1.2	4	32	B0083	B0112	B0141
Dia.450xH280	1.2	4	44	B0084	B0115	B0142
Dia.500xH300	1.2	5	58	B0085	B0114	B0143
Dia.550xH350	1.2	5	83	B0086	B0115	B0144
Dia.600xH400	1.2	5	113	B0087	B0116	B0145

TÁBUA DE CORTAR



MAIN TECHNICAL Parameters:

Model	Diameter(mm)	Box(pcs)
6213CR	18"x12"x0.5" 460x310x12mm	12
6213CD		
6213CW		
6213CC		
6213CB		
6213CN		
6215CR	20"x15"x0.5" 510x380x12mm	6
6215CD		
6215CW		
6215CC		
6215CB		
6215CN		

BANDEJA DE PLÁSTICO




MAIN TECHNICAL Parameters:

MEAN (mm)	Dimension(IN.)	Box(PCS)
81140	13"x10" IN. 350X270ml	40PCS
81240	16x12 IN.	40PCS
81340	18x14 IN.	30PCS

MAQPRO

SÉRIE DE DISPENSADORES



CEREAL
Dispenser



ZQ-G4



ZQ-G5



ZQ-G6

FOOD
Basket



ZQ-G7



ZQ-G8

POTE DE ÁGUA EM AÇO INOXIDÁVEL

ZQ-G9



Ischaemum pot

ZQ-G10



Ischaemum pot

ZQ-G11



Mirror Vacuum pot

ZQ-G12



Seasoning a set series

ZQ-G13



Stainless steel ice cream spoon

ZQ-G14



Language gravy boat

ZQ-G15



Netting knife

ZQ-G16



Stick ice cream spoon

ZQ-G17



Stainless steel whisk

MAQPRO

PEÇAS EM SÉRIES



HEAVY Duty ladles

MAIN TECHNICAL Parameters:

Model	Volume (ml)	Diameter (cm)	Box (pcs)
M4611LA	30	Ø5.0x28cm	72
M4612LA	70	Ø6.5x30cm	72
M4613LA	120	Ø8.0x32cm	72
M4614LA	200	Ø9.0x33cm	48
M4615LA	250	Ø10.0x37cm	48
M4616LA	330	Ø11x38cm	24
M4617LA	500	Ø12x40cm	24
M4618LA	1000	Ø14x44cm	24
M4619LA	1000	Ø16x47cm	12
M4610LA	2000	Ø20x55cm	12



SKIMMERS

MAIN TECHNICAL Parameters:

Model	Diameter (cm)	Box (pcs)
M46310SM	Ø10x38.7	36
M46312SM	Ø12x44.3	36
M46314SM	Ø13.5x48.5	36
M46315SM	Ø15x51.6	36
M46316SM	Ø16x54	24
M46318SM	Ø18x60.1	24
M46322SM	Ø22x70	24
M46324M	Ø24x76.5	12



FRYING Pan

MAIN TECHNICAL Parameters:

MEAN. (mm)	Note	Code
Dia. 200xH050	Single handle	B0050
Dia. 240xH050	Single handle	B0052
Dia. 280xH050	Single handle	B0054
Dia. 300xH050	Handle & ear	B0055
Dia. 320xH050	Handle & ear	B0056
Dia. 400xH050	Double & ear	B0058

EQUIPAMENTO DE PADARIA




BE-01



BE-02



BE-03



BE-07



BE-12



BE-13



BE-04



BE-05



BE-06



BE-08



BE-14



BE-15



BE-09



BE-10



BE-11



BE-16



BE-17



BE-18

MAQPRO

📧 maqpro.ao

✉ geral@maqpro.ao

📍 Lar Do Patriota, Talatona, Luanda

☎ +244 922 855 408 | +90 533 400 9083